

Specifiers



HYDROTAP G5 BA ELITE PLUS CHROME

Order Code H5E785Z00AU



FILTERED



FILTERED

BOILING

AMBIENT

Zip HydroTap Design Range Boiling, Ambient, Filtered water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including boiling water safety mode, 2 energy saving modes including ON/OFF timers and 2 hour sleep mode, SteriTouch® antimicrobial protection impregnated into key water paths for enhanced hygiene, and 0.2 micron water filtration.

Manufacturing Code H5E785Z00AU

Capacity Residential



Specifications

[Specification Sheet](#)

Tap	Zip HydroTap Design Range ELITE PLUS Tap (Chrome)
Water Pressure	Min 250kPa - Max 700kPa
Water Connection	1/2" BSP (G1/2)
Water Supply Requirements	Cold
Water Valves	Integrated 500kPa Pressure limiting valve and Dual Check Valve
Power Rating	1.35kW 220-240V 50Hz
Power Supply	1 x 10 Amp socket outlet
Dimensions	W280mm x D313mm x H333mm
Product Approvals	WaterMark, RCM, ARC
Warranty	5 years (appliance warranty 36 months plus additional 24 months tank warranty)

[Download more resources](#)

[Download BIM Files](#)

Click the icons below to download individual files

— DOWNLOADS BY FILE

Manuals

[Quick Guide](#)

[Instruction Manual](#)

[User Manual](#)

Brochures

[Product Brochure](#)

[Installation Layout 3D/2D DWG](#)

[Installation Detail](#)

Certifications

[Filter Performance Images](#)

[Filter Performance Data](#)

[Health Safety Image](#)

[Health Safety Download](#)

[Environment ISO Image](#)

[Environment ISO Download](#)

Quality ISO Image

Quality ISO Download

CE Image

RCM Image

Watermark

Environmental Product Declaration Brochure

Environmental Product Declaration

HydroTap Clean SDS