


Noirot Spot Plus



Electric Convection Panel Heater
Digital Timer Model

Operating & Installation Instructions




**In Order To Qualify For Your
Lifetime Warranty**
Please Visit our Website and complete the Online Registration

www.noirot.com.au

Safety Read the Installation and User Guide(*), especially the safety instructions below.

WARNING - Certain parts of this product may become very hot and may cause burns. Pay extra attention to small children and vulnerable people when they are around the heater.



- This heater may be used by children aged 8 and over and by persons with reduced physical, sensory or mental capacity or without any experience or knowledge providing they are correctly supervised or they have been given instructions on how to use the heater safely and they clearly understand the potential hazards. Children must not play with the heater. Unless supervised, children must not perform user cleaning and maintenance.
- Ensure children aged under 3 are kept at a safe distance unless they are under constant supervision.
- Children aged between 3 and 8 may only turn the heater on or off providing it has been placed or installed in the normal position for its operation and providing they are under supervision or they have been given instructions on how to use the heater safely and clearly understand the potential hazards.
- Children aged between 3 and 8 must not plug in, change the heater settings, clean or perform any user maintenance on the heater.
- Do not insert anything into the heater.
- The heater may only be connected by a qualified person after the power has been switched off.

- The heater risks overheating if it is covered. The following logo reminds users of this risk.



IMPORTANT : NE PAS COUVRIR
IMPORTANT : DO NOT COVER

- It is therefore strictly forbidden to cover or block the air intakes or outlets at the risk of causing an accident or damaging the heater.
- All service operations must be performed by a qualified and authorised person after the power has been switched off.
- The installation must include an omni polar circuit breaker with a contact opening gap of at least 3 mm.
- The heater must not be installed underneath a power socket.
- Comply with the minimum installation distances from floors, walls, furniture, etc.
- The power supply must be protected by a residual current device of at least 30 mA, especially when installed in a room with a bath or shower.
- When installing the heater in bathrooms, it must comply with local regulations.
- If the power supply cable is damaged, it must be replaced by the manufacturer, its after-sales service or a person with similar qualifications in order to prevent any potential hazards.
- Avoid installing the heater in a draught which may otherwise affect its thermostat control.
- This direct electric heater is designed for ambient heating of residential type rooms, or similar, in new or existing, single and multi-unit dwellings.
- Do not use this heater in the immediate surroundings of a bath, a shower or a swimming pool.

() These instructions were correct at the time of the heater's manufacture and comply with the standards applicable as at that date.*

The company reserves the right to modify the Installation and User Guide at any time in order to take into account any new standards or changes to existing standards.




THE MR190 DIGITAL CONTROLLER



On/Standby:


 Press to turn the heater **ON** or return it to **STANDBY** Mode


Mode Selector: The **MODE** button enables the heater to operate in the following 3 modes (shown by the different symbols along the bottom of the display):

Mode	Display	Description
TIMER		Heater operates only during heating periods
COMFORT		Heater operates continuously at the set temperature
FROST-PROTECTION		Heater operates continuously at 7°C (frost-protection)

MANUAL HEATER OPERATION

Ensure your heater is correctly installed or mounted on castors, plugged in and turned on at the power point on.


Press  to turn the heater ON and ensure the mode is set to COMFORT.

Use the **+** and **-** buttons to set the required room temperature. The temperature is increased or decreased in 0.5°C increments and ranges from 7°C to a maximum of 27°C. The  symbol on the display indicates that the element is energised. Once the room temperature has stabilised, the heating element will cycle on and off to maintain the room temperature.

Press  to return the heater to STANDBY mode


SETTING THE TIME

Press the  button.

Press the  button for 3 seconds to enter the programming mode


The Day will now be blinking





Press the  button again, this time for 3 seconds to enter the time setting mode


The Hour will now be flashing



Use the **+** and **-** buttons to set the current hour, then press  to confirm.
The Minutes will now be flashing .


Use the **+** and **-** buttons to set the current hour, then press  to confirm.
The Day will now be flashing.

Set the current day (i.e. 1 for Monday, 2 for Tuesday, etc.), then press  to confirm.
The time and day are now set.


To display the current time during normal operation, briefly press the  button. The time will be displayed for 3 seconds.

PROGRAMMING THE TIMER

It is possible to set up to 3 On/Standby periods per day using the timer mode. Each day can be programmed individually or all days can be programmed at once.


Press the  button for 3 seconds to enter the programming mode
The Day will now be blinking

Use the **+** and **-** buttons scroll to the required day. Note that after Day 7, 'ALL' will be displayed. Use this setting to program every day.

Press  the button to confirm
Period 1 settings are now displayed

Use the **+** and **-** buttons to select the time that you would like the heater to turn **ON**.

When a time is displayed a triangle appears on the display below **FROM**.


Press  the button to confirm.

Use the **+** button to select the time that you would like the heater to return to **STANDBY**


The triangle is now displayed below **TO**, indicating the time the heater is set to revert to **STANDBY** mode.

Press the  button to confirm



Period 2 settings are now displayed. Repeat the above steps for Period 3 to set the times that the heater is to turn **ON** and return to **STANDBY**.


If no more On/Standby periods are required for the day, continue to press  until the Day is again displayed.

Repeat the above steps for each day heating periods are required.

To exit to programming mode press  until the **DAY** is displayed. Press the button **+** until **EXIT** is displayed on the display.

Press the  button to confirm to exit programming



Briefly pressing the  button when the heater is in **AUTO** Mode will display the time left in a heating period or the lapsed time until the next heating period starts. **No Pr** is displayed if no more heating periods are programmed for that day.

Note: The temperature can be adjusted at any time during a heating period. Simply press the + or - buttons to adjust the room temperature.

PROGRAMMING RESET

The programming can be reset to the original status Press


the  button to turn the heater to STANDBY Mode.

Press once again the  button for at least 15 seconds until «RST» appears on the screen. The programming is now :

- from Day 1 to Day 5 heater ON from 06 am to 09 am and from 05 pm to 11pm.
- Day 6 and Day 7 heater ON from 08 am to 11pm.

Press the  button to turn the heater ON. _

CHILD LOCK

Press both the + and - buttons together until the  is displayed on the screen.

This indicates that the child lock is activated, disabling the buttons on the keypad.

To re-activate the keypad, press both the + and - buttons together until the key disappears



MAINTENANCE

Your Noirot Electric Panel Heater requires very little maintenance. To remove surface dust use a soft cloth; to remove marks use a damp cloth. Never use abrasives or metal scourers which could damage the polyester coating. It is recommended to periodically clean the front and under carriage air vents using the soft brush on your vacuum cleaner, as dense accumulation of dust will cause the heater to over-heat and trigger the safety thermal cut-out switch.

SPECIFICATIONS:

Model	Power (W)	Current (A)	Height	A	B	C
7358-3T	1000	4.2	440	420	208	106
7358-5T	1500	6.3	440	580	178	201
7358-7T	2000	8.3	440	745	320	210
7358-8T	2400	10.0	440	900	405	248

Please note: Heater temperature settings will vary from house to house according to the building type and its level of insulation. They will also vary from room to room, depending on factors such as room orientation (facing north or south) and window sizes. Items such as computers and lights (which generate heat) and people will also affect a room's temperature.

Running costs are not wholly governed by the temperature setting on the panel heater. The same maximum power is used to reach 7° or 27°. Where the energy efficiency and economy is obtained is in the sizing of the heater to the particular room where it is to be used. If the heater is sized correctly, then the thermostat will cycle on & off as required to maintain your comfort level, no matter where on the scale your comfort setting is.

WARNING:

- Do not use this heater if it has been dropped.
- Do not use if there are visible signs of damage to the heater.
- Use this heater on a horizontal and stable surface, or fix it to the wall, as applicable.
- Do not use this heater in small rooms when they are occupied by persons not capable of leaving the room on their own, unless constant supervision is provided.
- To reduce the risk of fire, keep textiles, curtains, or any other flammable material to a minimum distance of 1m from the air outlet.

WARRANTY REGISTRATION:

IMPORTANT: To validate your product warranty, you are required to do the following:

1. Register your product online at www.noirotd.com.au, click on "Product Registration" and fill out the required fields.
2. You must also retain your receipt of purchase

WARRANTY CONDITIONS

Your Noirotd Spot Plus electric panel heaters comes with a **LIFETIME WARRANTY**, therefore any replacement of faulty parts or repairs of any kind must be carried out by a qualified person and authorised by Noirotd Australia Pty Ltd or their approved representative. Failure to do so will **VOID** the **WARRANTY**.

Noirotd Australia Pty. Ltd. reserve the right to reject any warranty claim deemed to be false. Retailers must have warranty claims authorised by a representative of Noirotd Australia.

If you believe your product to be faulty and under warranty you are required to do the following:

1. Return the product, at your expense, to the place of purchase for assessment by an authorised representative of Noirotd Australia.
2. This may require leaving the product at the place of purchase.
3. If the product is deemed faulty and under warranty, the place of purchase of the product will order a replacement heater to which Noirotd Australia, at our cost, will deliver the heater to the place of purchase.
4. The consumer will then be required, at their cost, to pick up the replacement heater from the place of purchase.
5. If the heater is faulty but not deemed to be under warranty, an explanation will be provided to the consumer and that the faulty heater can be picked up by the customer from the place of purchase.
6. Castors are a bonus item and have a 6-month warranty.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

If you have any queries regarding your product or its warranty please contact:

Olimpia Splendid Australia Pty Ltd
80-84 Burlington St
Oakleigh VIC 3166
Australia
P: 1 300 664 768
E: sales@olimpiasplendid.com.au

Olimpia Splendid New Zealand Pty Ltd
C / Key Service Ltd
34A Cryers Road.
East Tamaki. Manukau City Auckland.
New Zealand
P: (09) 916-0960
E: sales@olimpiasplendid.co.nz