

Series 6, Built-in double oven MBG578FS3A



HEZ327000 Pizza stone, HEZ32WA00 Wireless food thermometer, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ538000 1fold telescopic rail, level independent, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ633073 Professional pan, enamelled, HEZ634000 Baking and roasting grid, HEZ636000 Glass pan, HEZ638000 Full ext rails, level independent, HEZ915003 Glass roasting dish, 5,4 L

- **Meat Probe/Roast thermometer:** measures the optimal core temperature of the roast.
- **3D Hotair:** even heat distribution for perfect results on up to three levels.
- **AutoPilot 30:** every dish is a perfect success thanks to 30 pre-set automatic programmes.
- **Pop-out controls:** Make the front of the oven easy to clean and provide a sleek and stylish front.
- **Pyrolytic self-cleaning:** no cleaning effort thanks to automatic self-cleaning.

Color / Material Front: Stainless steel
 Built-in / Free-standing: Built-in
 Integrated Cleaning system: Pyrolytic
 Dimensions: 888x594x550 mm
 Dimensions of the packed product (HxWxD): 960 x 660 x 690 mm
 Control Panel Material: Stainless steel
 Door Material: Glass
 Net weight: 59.5 kg
 Usable volume of cavity: 71 l
 Cooking method: Defrost, Full width grill, Hotair gentle, Hot Air, Conventional heat, Pizza setting, low temperature cooking, Bottom heat, Hot air grilling, warming
 Oven control: electronic
 Number of interior lights: 1
 EAN code: 4242005465859
 Energy efficiency rating: A
 Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
 Energy consumption per cycle forced air convection (2010/30/EC): 81 kWh/cycle
 Energy efficiency class (2010/30/EC) - cavity 2: B
 Energy consumption per cycle conventional - cavity 2 (2010/30/EC): 83 kWh/cycle
 Energy efficiency index (2010/30/EC): 95.3 %
 Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
 Connection rating: 6300 W
 Fuse protection: 32 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Plug type: no plug, fixed connection
 Included accessories cavity 1: 1 x combination grid, 1 x universal pan, 1 x Air Fry & Grill tray



Series 6, Built-in double oven MBG578FS3A

Heating Functions

- Temperature range 30 °C - 275 °C
- Cavity volume: 71 l

Racks and Rails

- Number of shelf levels: 5
- Telescopic rails: 1 level telescopic shelf, standard extension, safety stop function

Design

- Rotary Control Dials, Round, Retractable controls dials
- Anthracite enamel cavity with 5 shelf positions
- Extra large capacity oven

Cleaning

- Pyrolytic cleaning function
- Easy Clean cleaning program
- New design full glass inner door, easy to clean with simple access to the door glass

Convenience

- BE52D
- Electronic clock/timer with end time programming
- Automatic Temperature control for each function
- Temperature control indicator Automatic start function AutoPilot Automatic programming Sabbath function Meat probe, set and wait temperature cooking
- AutoPilot Automatic programming, 30 PC automatic programs
- SoftMove oven door with soft close, Drop down oven door with SoftOpen and SoftClose, Bottom hinged door
- Stainless steel bar handle
- Built in cooking functions: Automatic programs
- Automatic rapid heat function
- Switch for oven illumination, Halogen lighting
- Cooling fan

Accessories

- Air Fry & Grill tray, combination grid, universal pan

Safety Features

- Telescopic rails: 1 Clip-on rail, safety stop function, - full extension, full adjustment to any shelf level
- Quadruple glass door panel glazed, Low door temperature when in use.
- Child lock
- Residual heat indicator Automatic switch off Door lock

Technical Information

- Nominal voltage: 220 - 240 V
- Total connected load electric: 6.3 KW
- Defrost
- Full width grill Hotair gentle 3D Hotair Top/Bottom heating Pizza setting Low temperature / slow cooking Bottom heating Hot-air grilling Keep warm Large-area grill
- Small area grill Top/bottom heating Bottom heating

Dimensions:

- Appliance dimension (HxWxD): 888 mm x 594 mm x 550 mm
- Installation dimensions (HxWxD): 875 mm - 888 mm x 560 mm -

568 mm x 550 mm

- Please reference the built-in dimensions provided in the installation drawing
- We recommend you to choose complementary products within SER6, in order to assure an optimal design combination of your Built-In appliances.

