

SOPA6104S2PS

Oven, Linea, 60cm, Combi Steam, Silver, Pyrolitic



TYPE

Product Family: Oven • Category: 60cm • Steam range: 20 - 40% • Cooking Method: Combi Steam • Galileo Technology: Pyro steam • Power supply: Electric • EAN code: 8017709313814 • Cleaning system: Pyrolitic

AESTHETICS

Colour: Silver • Finishing: Glossy • Aesthetic: Linea • Material: Glass • Glass Type: Stopsol • Door: Full glass • Handle: Linea • Handle Colour: Chromed

PROGRAMS / FUNCTIONS

No. of cooking functions: 19 • Automatic programmes: 150 • Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo, Eco, Large grill, Fan grill (large), Base, Circulaire + bottom, Pizza • Steam assisted levels: 3 + manual • Customisable recipes: 10 • Cooking functions with pulsed steam: Fan assisted, Circulaire, Circulaire + Bottom, Turbo, Fan Grill • Cooking functions with steam: Fan assisted, Circulaire, Turbo, Grill + fan • Other Steam functions: Tank cleaning, Water outlet, Water input, Descaling • Other functions: Defrost by time, Defrost by weight, Proving, Stone cooking, BBQ, Air-Fry, Keep warm, Plate rack/warmer, Sabbath • Cleaning functions: Pirolysis

CONTROLS

Control setting: Advanced full touch

OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Timer: 3 • Showroom demo option: Yes • Touch guide: Yes • Rapid pre-heating: Yes • Demo-tutorial mode: Yes • Instant GO: Yes • Smart cooking: Yes • DeltaT cooking: Yes • Controls Lock / Child Safety: Yes • Multi-step cooking: Yes, up to 2 steps • SameTime: Yes • Cooking with probe thermometer: Yes • Other options: Keep warm, Eco light, Language setting, Digital clock display, Tones, Tones volume, Brightness • Chronology: Yes, the last 10 functions utilised

TECHNICAL FEATURES

Display name: VivoScreen • Display technology: TFT • Temperature control: Electronic • Minimum Temperature: 30 °C • Maximum temperature: 280 °C • Cavity material: Ever clean Enamel • No. of shelves: 5 • Shelves type: Metal racks • N. of fans: 1 • No. of lights: 2 • User-replaceable light: Yes • Light type: Halogen • Light Power: 40 W • Light when door is opened: Yes • Door opening type: Standard opening • Door: Cool • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • Soft Open: Yes • Soft Close hinges: Yes • Chimney: Fixed • Safety Thermostat: Yes • Cooling system: Tangential • Door Lock During Pyrolysis: Yes • Water loading: Drawer, manual • Tank capacity: 0,8 l • Heating suspended when door is opened: Yes • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W • Circular heating element - Power: 2000 W

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A+ • Net volume of the cavity: 68 l • Energy consumption in conventional mode: 3.92 MJ • Energy consumption per cycle in conventional mode: 1.09 kWh • Energy consumption in forced air convection: 2.45 MJ • Energy consumption per cycle in fan-forced convection: 0.68 kWh

ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power: 3000 W • Frequency (Hz): 50/60 Hz • Power supply cable length: 115 cm

GAS CONNECTION

LOGISTIC INFORMATION

Dimensions of the product (mm): 592x597x548 • Net weight (kg): 42.400 kg • Gross weight (kg): 46.100 kg

ACCESSORIES INCLUDED

Enamelled tray (20mm): 1 Premium rack: 1 Insert grid: 1 Enamelled deep tray (50mm): 1 Temperature probe: Yes, multipoint Other: water loading kit Telescopic Guide rails, total Extraction: 1

