

# STH650X2

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Telescopic
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709346140
Hood width	60 cm



## Aesthetics

Aesthetic Colour	Universale Silver	Serigraphy colour Logo	Black Silk screen
------------------	-------------------	------------------------	-------------------

## Controls

Control setting	Slider
-----------------	--------

## Technical Features

			
No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	1 W	Vent outlet	150 mm
Light color temperature scale (°K)	4000 °K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	770 m <sup>3</sup> /h	Minimum distance from ELECTRIC hob	600 mm
Motor power	250 W		

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	310	54
Speed 2	470	59
Speed 3	620	63

---

Intensive speed	740	66
-----------------	-----	----

## Accessories Included

---

Tube reduction                      Yes


## Electrical Connection

---

Plug	(I) Australia	Frequency (Hz)	50-60 Hz
Electrical connection rating	252 W	Power supply cable length	1500 mm
Voltage	220-240 V		

## Not included accessories

---



KITFC156

Charcoal filters Kit 2 pieces

---

## Symbols glossary (TT)

---



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.