

**ALFRESCO
KITCHEN**

ALFRESCO KITCHEN

CABINETRY

ABS SERIES

freestanding alfresco kitchen

Construction

- Steel frame: galvanised and powder coated to protect from corrosion
- Steel cabinet and rear panel: galvanised and vinyl wrapped in timber look
- Substrate: PVC board to reduce weight, act as fire insulator, does not attract humidity
- Cladding: 6mm Neolith stone finish, seamless, hard wearing, true to touch, scratch and stain resistant

Warranty

The stone bench carries a warranty of 25 years, underwritten by Neolith.

All steel elements carry a warranty of 5 years against material failure.

All components carry a warranty of 6 months against production defects.

Cabinetry Made in South Africa

Design

- Assembly: designed to be assembled by two people in under one hour, tools supplied (spanner and allen key)
- Symmetrical design: the unit can be assembled left or right oriented, this means that the BBQ unit can sit on the left or right-hand side of the outdoor kitchen bench
- Dimensions assembled: 2353mmW x 680mmD x 950mmH
- Feet: height adjustable to compensate for uneven floors to +/-50mm
- Colour: benchtop: grey anthracite; timber look finish: dark oak
- Packaging: designed to transport as flat packed unit, in four packs, total weight of 160kg





ABBQPACK1: INCLUDED CABINETRY & APPLIANCES

Cabinetry

- ABS1 - Artusi Alfresco Kitchen (*ABS2 available with no sink space*)

Standard Appliance Inclusions

- ABBQ1B - Artusi Built-in Gas BBQ (*for information, click here*)
- ABFLAT - Artusi Built-in Gas BBQ Flat Lid ABBQPACK1 (*for information, click here*)
- ABHOOD - Artusi Built-in Gas BBQ Dome Lid - ABBQPACK2 (*for information, click here*)
- AGS411B - Artusi Granite Stone Sink (*for information, click here*)
- ASM1001B - Artusi Mixer Tap (*for information, click here*)
- ABC1B - Artusi Outdoor Bar Fridge (*for information, click here*)

- For more information on the included Artusi Appliances, visit artusi.com.au

ABBQPACK2 : included Cabinetry (ABS1) & Appliances as mentioned above with ABHOOD BBQ lid

ABBQPACK3 : included Cabinetry (ABS2 - no sink space) & Appliances with ABFLAT BBQ lid
(no sink space & no sink or tap provided)

ABBQPACK4 : included Cabinetry (ABS2 - no sink space) & Appliances with ABHOOD BBQ lid
(no sink space & no sink or tap provided)

STANDARD INCLUSION

ALFRESCO

BBQ

ABBQ1B

Built-in Gloss Black BBQ

- Meticulous design with seamless finish
- finished in gloss black enamel
- Automatic Piezo battery ignition with concealed D cell battery compartment
- Interchangeable hotplate configuration for different cooking styles
- 2 x solid cast iron removable grill plates
- 1 x cast iron removable flat hotplate
- Anti-warp engineered hotplate
- Hotplate and grills include self locking notches
- Stainless steel burners with flame failure
- Total burner power output 14kW (European tested)
- 1 x removable grease container for oil and residue within the cooking area
- 1 x removable main catcher at the front of the grills with a drain system
- Side control knobs
- Oil/fat reservoir
- Available in natural gas or LPG pre-set

AVAILABLE COMPANION PRODUCTS

- ABHOOD - Roasting dome BBQ hood with thermostat
- ABFLAT - Slimline Flat BBQ lid
- BBQCOVERH - Canvas cover for ABHOOD
- BBQCOVERF - Canvas cover for ABFLAT



For technical diagrams please refer to page 78-79
Power Consumption: D Cell Battery
Gas Consumption: 52 mj/h (natural gas)
5/8" connection fitting hose and regulator assembly included



MADE
IN ITALY



24 MONTH
WARRANTY



104 CM



4
GAS
BURNERS



FLAME FAILURE
DEVICE



INTEGRATED
IGNITION




Pictured: ABBQ1B built-in
barbecue with ABHOOD dome lid



AVAILABLE LID

ABHOOD: Roasting dome BBQ hood with thermostat
(sold separately)



AVAILABLE LID

ABFLAT: Slimline flat lid (sold separately)

OPTIONAL CHANGE (subject to price alteration)

ALFRESCO

BBQ

ABBQM

Built-in Stainless Steel BBQ

- Meticulous design with seamless finish
- AS316 stainless steel (suitable for outdoor and ocean- front environments)
- Automatic Piezo battery ignition with concealed D cell battery compartment
- Painted black BBQ interior
- Interchangeable hotplate configuration for different cooking styles
- 2 x solid cast iron removable grill plates
- 1 x cast iron removable flat hotplate
- Anti-warp engineered hotplate
- Hotplate and grills include self locking notches
- Stainless steel burners with flame failure
- Total burner power output 14kW (European tested)
- 1 x removable grease container for oil and residue within the cooking area
- 1 x removable main catcher at the front of the grills with a drain system
- Side control knobs
- Oil/fat reservoir
- Available in natural gas or LPG pre-set



MADE IN ITALY



24 MONTH WARRANTY



104 CM



4 GAS BURNERS



FLAME FAILURE DEVICE



INTEGRATED IGNITION



Pictured: ABBM built-in barbecue with ABBQMH dome lid



AVAILABLE COMPANION PRODUCTS

- ABBQ304H - Roasting dome BBQ hood with thermostat (black interior)
- ABBQMH - 316 Stainless steel roasting dome BBQ hood with thermostat
- ABBQMF - Slimline Flat BBQ lid
- BBQCOVERH - Canvas cover for ABBQMH & ABBQ304H
- BBQCOVERF - Canvas cover for ABBQMF



For technical diagrams please refer to page 78-79

Power Consumption: D Cell Battery

Gas Consumption: 52 mJ/h (natural gas)

5/8" connection fitting hose and regulator assembly included



AVAILABLE LID

ABBQMH: 316 stainless steel hood lid (sold separately)

ABBQ304H: 304 stainless steel hood lid (sold separately)



AVAILABLE LID

ABBQMF: 316 stainless steel flat lid (sold separately)

STANDARD INCLUSION

ALFRESCO

ABC1B

'Australia's Coldest' Outdoor bar beverage centre

- black glass door (triple glazed),
- black body
- 100 litre internal capacity
- 330ml bottles: 66
- Shelves: 10 interchangeable half depth (5 levels)
- freestanding or under-bench installation
- -5–10°C temperature range
- climate type: T, 43°C ambient
- ventilated cooling, auto defrost
- 3 retractable shelves
- touch controls
- LED lighting
- heated triple glazed glass door
- Brushed black handle moulded onto door frame
- party mode- runs at -5°C & maintains the internal temperature for up to 6 hours
- turbo mode- speeds up the cooling process (gives you 1 hour at -5°C)
- door open alarm



For technical diagrams please refer to page 78-79
10amp power cord

REFRIGERATION



24 MONTH
WARRANTY



60CM



330ML
BOTTLES



DIGITAL
DISPLAY



LED
LIGHTS



SHELF
POSITIONS



10AMP POWER
CONNECTION



TRIPLE
GLAZING



100L OVEN
CAPACITY



DEFROST
MODE



TOUCH
CONTROL



OPTIONAL CHANGE (subject to price alteration)

ALFRESCO

AOFIS

Back bar beverage centre

- hammered aluminium interior
- stainless steel door
- black weatherproof exterior
- 118 litre internal capacity
- 330ml bottles: 138
- 500ml bottles: 78
- Shelves: 2 (3 levels)
- freestanding or under-bench installation
- 0–10°C temperature range
- climate type: up to 38°C ambient temperature
- ventilated cooling
- auto defrost
- digital touch controls
- LED lighting
- door lock
- spring-loaded self-closing door
- stainless steel door frame & bar handle
- adjustable feet
- withstands high humidity
- UV-safe stainless steel

i For technical diagrams please refer to page 78-79
10amp power cord

REFRIGERATION



24 MONTH
WARRANTY



55CM



330ML
BOTTLES



500ML
BOTTLES



CHILD
LOCK



LED
LIGHTS



18
SHELF
POSITIONS



10AMP POWER
CONNECTION



DOUBLE
GLAZING



118L FRIDGE
CAPACITY



DEFROST
MODE



STANDARD INCLUSION

only available with ABBQPACK 1 & 2

SINKS

WASH

AGS411B

Single Bowl Sink

- Overall size (mm): 410 x 500
- Built-in hole size (mm): 390 x 480
- Bowl base size (mm): 450
- Bowl depth external (mm): 190
- Inset installation
- Anti-bacterial surface
- Waste is 58mm to mixer
- Designer waste plug



30 YEAR
WARRANTY



MADE
IN ITALY



FLUSHMOUNT




AVAILABLE ACCESSORIES:

AGBO13O5 - Drain Rack

SINK KIT:

Space saving siphon, waste and pre-mounted hooks, rectangular overflow



STANDARD INCLUSION (BLACK) OPTIONAL change to Chrome (subject to price alteration)
only available with ABBQPACK 1 & 2

TAPS

WASH

ASM101B OR ASM100X

gooseneck mixer tap

- ASM101B: electroplated matt black finish or ASM101X: 304 stainless steel finish
- single lever control
- contemporary design
- swivel spout
- pin handle
- ASM101B: 9L per minute & 3 Star water rating
- ASM101X: 6L per minute & 5 Star water rating
- operating temperature: 1°C - 70°C
- 35mm ceramic disk cartridge



OPTIONAL CHANGE (subject to price alteration)

ASM201B OR ASM201X

gooseneck mixer tap with pull out hose

- ASM201B: electroplated matt black finish or ASM201X: 304 stainless steel finish
- electroplated matt black finish
- pull out lever control
- water 'spray' function
- contemporary design
- swivel spout
- pin handle
- operating temperature: 1°C - 70°C
- 25mm ceramic disk cartridge
- 4.5 litres per minute
- 6 Star water rating



AVAILABLE ADD ON PRODUCTS

ALFRESCO

AOF2S

Back bar beverage centre

- hammered aluminium interior
- stainless steel doors
- black weatherproof exterior
- 190 litre internal capacity
- 330ml bottles: 190
- 500ml bottles: 110
- Shelves: 4 (3 levels)
- freestanding or under-bench installation
- 0–10°C temperature range
- climate type: up to 38°C ambient temperature
- ventilated cooling
- auto defrost
- digital touch controls
- LED lighting
- door locks
- spring-loaded self-closing door
- stainless steel door frame & bar handle
- adjustable feet
- withstands high humidity
- UV-safe stainless steel



For technical diagrams please refer to page 78-79
10amp power cord

REFRIGERATION



24 MONTH
WARRANTY



86CM



330ML
BOTTLES



500ML
BOTTLES



CHILD
LOCK



LED
LIGHTS



SHELF
POSITIONS



10AMP POWER
CONNECTION



DOUBLE
GLAZING



190L FRIDGE
CAPACITY



DEFROST
MODE



AVAILABLE ADD ON PRODUCTS

ALFRESCO

AOF3S

Back bar beverage centre

- hammered aluminium interior
- stainless steel doors
- black weatherproof exterior
- 307 litre internal capacity
- 330ml bottles: 304
- 500ml bottles: 247
- Shelves: 6 (3 levels)
- freestanding or under-bench installation
- 0–10°C temperature range
- climate type: up to 38°C ambient temperature
- ventilated cooling
- auto defrost
- digital touch controls
- LED lighting
- door locks
- spring-loaded self-closing door
- stainless steel door frame & bar handle
- adjustable feet
- withstands high humidity
- UV-safe stainless steel



For technical diagrams please refer to page 78-79
10amp power cord

REFRIGERATION



24 MONTH
WARRANTY



135CM



330ML
BOTTLES



500ML
BOTTLES



CHILD
LOCK



LED
LIGHTS



SHELF
POSITIONS



10AMP POWER
CONNECTION



DOUBLE
GLAZING



307L FRIDGE
CAPACITY



DEFROST
MODE



AVAILABLE ADD ON PRODUCTS

ALFRESCO KITCHEN

BBQ

ACH12BBQ

120cm barbecue range hood

- full stainless steel construction
- dual motors with 3 powerful air extraction speed
- 1000m³/hr airflow from each motors
- two motors: 218W each
- removable stainless steel baffle filters designed for maximum performance and easy cleaning
- 6 x LED lights will perfectly illuminate the cooking area
- wall mount installation
- twin duct outlets (one for each motor) provides maximum performance
- installation kit provided

i For technical diagrams please refer to page 90-92
170cm power cord length
10 AMP plug & lead

Minimise grease and smoke when cooking on your barbecue with the Artusi twin-motor range hood. Twin turbo motors combined with a custom-designed ventilation system. Suitable for any size barbecue (up to 120cm wide).



24 MONTH
WARRANTY



120CM




LED
LIGHTS



PUSH
BUTTON



10AMP POWER
CONNECTION



AVAILABLE ADD ON PRODUCTS

ALFRESCO KITCHEN

BBQ

ACH12BBQB

120cm barbecue range hood

- 304 Stainless steel with black glass fascia
- 2000 m³/h air flow
- Twin 198W full sealed copper motors
- 200mm air outlet diameter
- 3 extraction speeds
- LCD display
- Touch control operation
- 6 x LED cooking lights will perfectly illuminate the cooking area
- AS304 stainless steel baffle filters
- 72 db/A noise level
- Wall mount installation
- Flue height 2 pieces (500mm each)



For technical diagrams please refer to page 90-92
170cm power cord length
10 AMP plug & lead

Minimise grease and smoke when cooking on your barbecue with the Artusi twin-motor range hood. Twin turbo motors combined with a custom-designed ventilation system. Suitable for any size barbecue (up to 120cm wide).



24 MONTH
WARRANTY



120CM



LED
LIGHTS




TOUCH
CONTROL



10AMP POWER
CONNECTION




ABS1 ALFRESCO KITCHEN
TECHNICAL DIAGRAM



* includes adjustable feet upto 10mm

ABS2 ALFRESCO KITCHEN
TECHNICAL DIAGRAM



* includes adjustable feet upto 10mm

ALFRESCO KITCHEN

 **ARTUSI**
THE ART OF LIVING



FOLLOW US ON:

 [instagram.com/artusi_appliances](https://www.instagram.com/artusi_appliances)

 www.linkedin.com/company/eurolinx-pty-ltd-t-a-ilve/

Australia National Telephone Number 1300 (694 583) New Zealand Telephone Number 64 3 344 5913

Artusi showroom hours: Tuesday to Friday - 9am-5pm, Saturday - 10am-4pm, Sunday and Monday - closed

* Melbourne showroom hours: Tuesday to Saturday - 10am-4pm

[artusi.com.au](https://www.artusi.com.au)

NSW & ACT (Head Office)

48-50 Moore Street
Leichhardt
F 02 8569 4699

VIC & SA

1211 Toorak Road
Camberwell
F 03 9809 2155

QLD

1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT

Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand

PO Box 11.160
Sockburn Christchurch
F 03 344 5906