

503L top mount fridge, white with full width crisper, sphere ice tray and 3.5-star energy rating



Product Details

FEATURES

Quick chill function	FlexStor™ Adjustable Door Bins	Full-width crisper	Multi-flow Air Delivery
LED lighting	Fridge door alarm	Sphere ice tray	Frost free
Rear rollers			

BENEFITS

Fill your fridge the way you want to
The large fridge interior is big enough for even the largest items

Convenient storage solution with FlexStor
When life gets busy, flexibility is a life saver. That's why Westinghouse created the FlexStor system. The adjustable door bins allow for quick and easy adjustment whenever or however you need it. We make it easy to do more with your fridge.

Stay refreshingly cool
Keep your drinks ice cold thanks to our sphere ice tray. With plenty of ice available for all and the slow melting nature of larger sphere ice, you and your family can enjoy ice-cold drinks anytime.

Cool it Quickly
Load your fridge after a grocery shop, activate the Quick Chill function to lower the temperature faster than normal, cooling your food faster and helping it stay fresher for longer

Easy to clean
With handy features like SpillSafe glass shelves, easy to clean liner & fewer nooks and crannies makes the fridge a breeze to clean.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Additional domestic warranty for the sealed refrigeration system only (yrs)	3
Refrigerator Type	top mount
Exterior door finish	White
Handle design	integrated
Fridge door opening	right
Cooling system	frost free
Freezer door opening	right
Refrigerant	R600a
Compressor	Fixed-speed

DIMENSIONS

Total height (mm)	1725
Cabinet height (mm)	1705
Total width (mm)	796
Cabinet width (mm)	790
Total depth (mm)	727
Cabinet depth (mm)	641
Depth door open 90degree (mm)	1457
Air space above cabinet (mm)	90
Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	384
Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	119
Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	503

ENERGY

Energy Star Rating - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	3.5
Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	394

FOOD COMPARTMENT

SHELVING

Shelf material	glass
Type of shelf	spill safe shelf

LIGHTING

Main light	LED
------------	-----

DIMENSIONS

Height adjustable feet	Yes
------------------------	-----

REFRIGERATOR SYSTEM

Controls	manual
Controls location	internal
Control functions	quick chill
Door alarm	fridge

CRISPERS

Crisper lid/shelf	glass
Crispers Runner system	suspended
Full width crisper	1

FOOD COMPARTMENT DOOR

BINS

Deep bottle bin	1
Shallow bin	1

OTHER PROPERTIES

Seals	removable
-------	-----------

SHELVING

Shelving	glass shelf
Type of shelf	spill safe shelf
Number of shelves	1

FREEZER COMPARTMENT

ICE FACILITY

Ice sphere tray	1
-----------------	---

FREEZER DOOR


INTERNAL

Freezer door bins - full width	1
Bin mounting system	lug mounted

Dimensions

Large Top Mount Fridges


WTM5002SD/WD/WE
WTM4302WD



IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.


© 2024 Electrolux Home Products Pty Ltd. WHS_DIM_LargeTM_Nov24
® and Westinghouse are trademarks of Westinghouse Electric Corporation. All Rights Reserved.



Please note: Doors are designed to sit proud of cabinetry (not flush).

Model	X
WTM4302	430mm
WTM5002	455mm

When positioned in a corner area, spacing a minimum of Xmm (distance depends of the model as per the table above) on the hinge side will allow the doors to open enough to enable the removal of shelves.



Dimensions	Product Height (H)	Product Width (W)	Product Depth (D)	Product Depth (D2) (Door Open)
WTM5002SD/WD	1725	796	723	1457
WTM4302WD	1725	699	723	1360
WTM5002WE	1725	796	727	1457

Airspace	Side - both	Top	Behind
WTM5002SD/WD	30	90	50
WTM4302WD	30	90	50
WTM5002WE	30	90	50

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz