

**Series 6, French Door Bottom freezer,
multi door, 183 x 90.5 cm, Black
stainless steel
KFN96AXEAA**



The NoFrost bottomfreezer with VitaFresh plus: Keeps your fresh foods fresh and vitamin-rich longer.

- **VitaFresh XXL Pro 0°C:** climate-controlled compartments lock in freshness and nutrients for longer.
- **NoFrost:** you'll never have to defrost your fridge-freezer again.
- **Metal backwall with MultiAirflow:** evenly circulates cool, fresh air to maintain consistent temperatures.
- **Connectivity:** Remotely monitor and control your fridge from your smartphone or tablet.
- **XXL capacity:** extra space to store more food items due to the slightly wider build.

Technical Data

Energy Efficiency Class: E
Annual energy consumption AU: 395 kWh
Freezer Net capacity: 200 l
Refrigerator Net capacity: 405 l
Airborne acoustical noise emissions: 38 dB(A) re 1 pW
Noise level class: C
Built-in / Free-standing: Freestanding
Door panel options: Not possible
Height: 1830 mm
Width of the appliance: 905 mm
Depth of the product: 731 mm
Net weight: 118.3 kg
Fuse protection: 10 A
Door hinge: left and right
Voltage: 220-240 V
Frequency: 50 Hz
Length electrical supply cord: 240.0 cm
Storage Period in Event of Power Failure (h): 15 h
Number of compressors: 1
Number of independent cooling systems: 1
Interior ventilator: Yes
Reversible Door Hinge: No
Number of Adjustable Shelves in fridge compartment: 3
Shelves for Bottles: No
Installation typology: N/A
Type of hinge: Flush-folding
Annual energy consumption AU: 395 kWh

Included accessories

3 x egg tray
1 x ice cube tray



Series 6, French Door Bottom freezer, multi door, 183 x 90.5 cm, Black stainless steel KFN96AXEAA

The NoFrost bottomfreezer with VitaFresh plus: Keeps your fresh foods fresh and vitamin-rich longer.

- FrostFree, No Frost, French door fridge freezer
- Freestanding Freezer with Black inox-antifingerprint

Performance & Consumption

- MultiAirflow system - Minimises fluctuating temperatures by ensuring optimal and uniform air circulation in the fridge
- Total Volume : 605 l
- Net Fridge Volume : 405 l
- Net Freezer Volume : 200 l
- Annual Energy Consumption: 395 kWh
- Climate Class: SN-T
- Fast Freeze
- Noise Level : 38 dB

Finish

- Black inox-antifingerprint doors and cast iron look side panels

Design

- LED interior light in fridge section
- Metal backwall
- Interior design with metal trims

Convenience & Safety

- Remote Monitoring and Control with Home Connect
- 7 segment electronic control
- SuperCooling Function - Automatically brings down the temperature of the refrigerator to cool new groceries rapidly
- Automatic defrost in fridge section
- Child lock
- Acoustic door open alarm, Optical warning system Door open
- Acoustic Warning System, Optical Warning System by Temperatur increase

Shelving & Compartments

- FrostFree MultiAirflow system
- 4 safety glass shelves of which 3 are height adjustable, Standard 2 shelves extendable
- 2 door bin(s) large, 2 door bin(s) small
- LED interior light lighting
- Egg rack
- 1 VitaFresh ◀0°C▶ drawer - Fish and meat stay fresh
- 1 VitaFresh drawer on rails with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.

Freezer Compartment

- Freezer: 2 transparent drawers with telescopic rails
- Ice cube tray

Dimensions

- Dimensions (H x W x D): 1830 mm x 905 mm x 731 mm

Technical Information

- 4 wheels for easier transport, 3 of them height adjustable.
- Voltage 220 - 240 V

Accessories


- 3 x egg tray, 1 x ice cube tray

Comfort

- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.


Series 6, French Door Bottom freezer, multi door, 183 x 90.5 cm, Black stainless steel KFN96AXEAA

measurements in mm




A: Front is adjustable from 1830 to 1847, with front levelling feet fully extended
B: Add 25 for fixed spacers on back

measurements in mm




A: Front is adjustable from 1830 to 1847, with front levelling feet fully extended

Measurements in mm



Measurements in mm



A	a	b
≤ 600	0	0
600 < A ≤ 650	45	45
650 < A ≤ 700	60	60
> 700	239	239

A: Kitchen cabinet or worktop depth

B: Wall
 Drawers can be pulled and taken out with door open to 90°