



## HydroTap G5 B Classic Plus Brushed Brass

Boiling



**Finish:** Brushed Brass

**Product code:** H55786Z18AU

**Capacity:** Residential

Zip HydroTap Classic Plus Boiling Filtered water tap features simple, intuitive controls including continuous flow to fill bottles, Boiling water safety lock, and antimicrobial protection impregnated within the new Classic Plus touch-pad for enhanced hygiene. The water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including 2 boiling water safety modes, 3 energy saving modes including ON/OFF timers and sensor activated 'sleep when it's dark', antimicrobial protection impregnated into key water paths for enhanced hygiene, and 0.2 micron water filtration.

## Specifications

Product name	HydroTap G5 B Classic Plus Brushed Brass
Product code	H55786Z18AU
Filtered water type	B
Product approvals	WaterMark, RCM
Warranty	3-years comprehensive parts and labour or 5-years with a Zip Certified Installation

## Plumbing

Water supply requirements	Cold
Water connection	1/2" BSP (G1/2)
Water valves	Integrated 500kPa Pressure limiting valve and Dual Check Valve
Water pressure	Min 170kPa - Max 700kPa

## Electrical

Power rating	1.35kW 220-240V 50Hz
Power supply	1 × 10 Amp socket outlet

## Tap design

Tap	Zip HydroTap CLASSIC PLUS Tap (Brushed Brass)
HydroTap style	Classic Plus
Finish	Brushed Brass
Disability options	Unavailable

## Command centre

Dimensions	W280mm x D313mm x H333mm
------------	--------------------------

# Installation

## Installation requirements

1. Installation and connection of your Zip HydroTap must be carried out by a Zip Certified service technician, observing national and local regulations.
2. You will require suitable mains electrical and drinking water connections, plus waste water drainage all within 1 metre of the product.
3. Zip HydroTap is air-cooled so discrete cabinetry cut-outs are required for ventilation.
4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
5. Installation by Zip Professional Service can be arranged with a phone call or through [www.zipwater.com/book-service-visit](http://www.zipwater.com/book-service-visit)

## Files

Installation Layout 3D (DWG)

BKL2 HydroTap G5 v1.00 02.21 B, BA

### Ventilation requirements

Contact your local service provider if ventilation is not suitable

#### Clearance envelope

Position the Tap and the Command Centre as close together as possible.

### HydroTap Tap options

Classic Plus

216mm height, 116mm width, 126mm depth, 46mm diameter

Elite Plus

221mm height, 110mm width, 135mm depth, 46mm diameter

### Font options

**Raised Font with 135mm Extension**

280mm height, 116mm width, 351mm depth, 46mm diameter, 20mm base, 268mm base width, 116mm base offset

**Font with 135mm Extension**

280mm height, 116mm width, 351mm depth, 46mm diameter, 6mm base, 104mm base width, 104mm base offset

### Tap Positioning

Position the Tap to dispense into the sink, allowing clearance for a cup or teapot. Alternatively, mount the HydroTap Tap on a Font (available as an accessory).

35mm hole for HydroTap Tap

### Cutting detail

**Raised Font**

116mm diameter, 152mm diameter, 164mm diameter, 116mm diameter, 104mm diameter, 60mm diameter, 104mm diameter

**Standard Font**

108mm diameter, 35mm diameter, 219mm diameter, 104mm diameter, 60mm diameter, 104mm diameter

SCALE 1:5  
ALL DIMENSIONS IN MM UNLESS OTHERWISE SPECIFIED. INSTALLATION DIAGRAMS ARE FOR ILLUSTRATIVE PURPOSES ONLY. HOSES ARE NOT SHOWN TO SCALE AND CANNOT BE LENGTHENED.

**HydroTap G5**  
**B Home, BA Home**

shown with "Classic Plus" Tap

Installation Layout (PDF)

# BIM files

LCF

↓ ArchiCAD Swift  
Globals Library  
(LCF)

LCF

↓ ArchiCAD Zip Water  
Library (LCF)

RVT

↓ Revit Virtual  
Showroom (RVT)

↓ Download all

# Certifications



OHS  
ISO 45001



Environment  
ISO 14001



Quality  
ISO 9001



PDF

↓ Health & Safety  
(PDF)

PDF

↓ Environment ISO  
(PDF)

PDF

↓ Quality ISO (PDF)

PDF

↓ Environmental  
Product Declaration  
Brochure (PDF)

PDF

↓ Filter performance  
(PDF)

PDF

↓ HydroTap Clean  
SDS (PDF)

# Manuals & brochures



↓ Brochure (PDF)



↓ Instruction manual (PDF)



↓ Quick guide (PDF)



↓ Tap operation label (PDF)



↓ User manual (PDF)

↓ Download all

# Accessories



95258Z1802

Font Kit Raised Brushed Brass



90915Z1802

Font Kit Brushed Brass